July 12, 2006

Thomas L. Rosenberg, Esq. Roetzel & Andress 155 E. Broad St., 12th Fl. Columbus, OH 43215

Re: Southern Electric Supply Co., Inc. D/b/a Rexel Elgee, Inc. vs. Lienguard, Inc., et al.

Dear Mr. Rosenberg:

Enclosed you will find the Witness Errata and Signature Sheet(s) for the CORRECTED deposition transcript of Mark Decker taken on May 5, 2006 in the above-captioned case.

If you have any questions concerning this matter, please call me at 614-444-1000.

Sincerely,

Christy Heaney

Production Manager


Christy M. Heavey

Enc.

cc: Stuart W. Harris, Esq.

Marvin E. Richards, Jr., Esq.

Ref: SB9542MD



Witness Errata and Signature Sheet (Corrected Transcript)

Spectrum Reporting LLC Correction or Change Reason Code 333 East Stewart Avenue 1 - Misspelling 2 - Word Omitted Columbus, Ohio 43206 3 - Wrong Word 4 - Clarification Phone - 614-444-1000 Fax - 614-444-3340 5 - Other Correction (Please explain) Email - admin@spectrumreporting.com Ref: SB9542MD Sheet ____ of ____

SEE ATTACHED ERRATA SHEET	Page/Line	Correction, Addition, or Change	Reason Code
		SEE ATTACHED ERRATA SHEET	
			/
			·
			
			
			_
			

	I,	Mark Decker,	have read the	e entire tran	script of	my depositi	on taken in	thic mat	ter or
the	same	has been read	to me. I re	quest that t	he changes	noted on my	erwata chec	tirs mac	ontone
THE	o the	record for th	e reasons ind	icated.	1/18	De	A sheet	c(s) be	encered
Date		11/06	Signature						
									

The witness has failed to sign his deposition within the time allowed.

_____Signature

The M